Pit control boxes

Pit control box IP54 with:
Emergency braking switch PPT (1NC),
alarm (1NO **or** 1NC)



Art.no.	Supply line	Contacts Alarm
018400	without	1 NO
018401	10m 1.0mm²	1 NO
018402	20m 1.0mm²	1 NO
018403	28m 1.0mm²	1 NO
018404	37m 1.0mm²	1 NO
018405	46m 1.5mm²	1 NO
018406	55m 1.5mm²	1 NO
018407	64m 1.5mm²	1 NO

Art.no.	Supply line	Contacts Alarm
018420	without	1 NC
018421	10m 1.0mm²	1 NC
018422	20m 1.0mm²	1 NC
018423	28m 1.0mm²	1 NC
018424	37m 1.0mm²	1 NC
018425	46m 1.5mm²	1 NC
018426	55m 1.5mm²	1 NC
018427	64m 1.5mm²	1 NC

Pit control box IP54 with:
Emergency braking switch PPT (1NC), light button (1NO)



Art.no.	Supply line
018310	without
018177	10m 1.0mm²
018178	20m 1.0mm²
018179	28m 1.0mm²
018180	37m 1.0mm²
018181	46m 1.5mm²
018182	55m 1.5mm²
018183	64m 1.5mm²
018184	73m 2.5mm²
018185	82m 2.5mm²

Further configurations and halogen-free wiring on request!

© W+W Aufzugkomponenten 2022/23

Pit control boxes

Pit control box IP54 with:
Emergency braking switch (1NC),
different types of spring cover sockets



Articles with different sockets:

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
018545	018555	018565	018575	018585	without
018546	018556	018566	018576	018586	10m 1.0mm²
018547	018557	018567	018577	018587	20m 1.0mm²
018548	018558	018568	018578	018588	28m 1.0mm²
018549	018559	018569	018579	018589	37m 1.0mm²
018550	018560	018570	018580	018590	46m 1.5mm²
018551	018561	018571	018581	018591	55m 1.5mm²
018552	018562	018572	018582	018592	64m 1.5mm²
018553	018563	018573	018583	018593	73m 2.5mm²
018554	018564	018574	018584	018594	82m 2.5mm²

Advice!
In case of the German socket type DE the emergency braking switch is always designed as push turn type (PT).
All other socket types are equipped with the Stop-PP emergency braking switch.
The socket type F+B is supplemented by an additional protective collar.
Further configurations and halogen-free wiring on request!

Socket variants

Standard

DE
CEE 7/3
Schuko
socket

Germany



F+B
CEE 7/5
socket

PL

SVK

CZE

France/ Belgium

UK
BS 1363
socket

Great Britain

CH
Typ 13
socket

Switzerland

DK
DS 60884-2-D1
socket

Denmark

AU
AS 3112

CHN

Australia

USA
NEMA-5

United States

Further configurations and halogen-free wiring on request!

Pit control boxes

Pit control box IP54 with:
Emergency braking switch (1NC),
alarm button (1NO **or** 1NC),
different types of spring cover sockets



Articles with different sockets:

NO

Alarm button with **NO:**

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
018456	018464	018448	018472	018440	without
018457	018465	018449	018473	018441	10m 1.0mm²
018458	018466	018450	018474	018442	20m 1.0mm²
018459	018467	018451	018475	018443	28m 1.0mm²
018460	018468	018452	018476	018444	37m 1.0mm²
018461	018469	018453	018477	018445	46m 1.5mm²
018462	018470	018454	018478	018446	55m 1.5mm²
018463	018471	018455	018479	018447	64m 1.5mm²

NC

Alarm button with **NC:**

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
018516	018524	018508	018532	018500	without
018517	018525	018509	018533	018501	10m 1.0mm²
018518	018526	018510	018534	018502	20m 1.0mm²
018519	018527	018511	018535	018503	28m 1.0mm²
018520	018528	018512	018536	018504	37m 1.0mm²
018521	018529	018513	018537	018505	46m 1.5mm²
018522	018530	018514	018538	018506	55m 1.5mm²
018523	018531	018515	018539	018507	64m 1.5mm²

Pit control box IP54 with:
Emergency braking switch (1NC),
light button (1NO),
different types of spring cover sockets



Articles with different sockets:

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
009093	051067	051068	051069	018350	without
078513	018007	018016	078237	018025	10m 1.0mm²
078514	018008	018017	078238	018026	20m 1.0mm²
078515	018009	018018	078239	018027	28m 1.0mm²
078516	018010	018019	078240	018028	37m 1.0mm²
078517	018011	018020	078241	018029	46m 1.5mm²
078518	018012	018021	078242	018030	55m 1.5mm²
078519	018013	018022	078243	018031	64m 1.5mm²
078520	018014	018023	078244	018032	73m 2.5mm²
078521	018015	018024	078245	018033	82m 2.5mm²

Further configurations and halogen-free wiring on request!

© W+W Aufzugkomponenten 2022/23

Pit control boxes

Pit control box IP54, with:
Emergency braking switch (1NC),
twin button light (1NO) / alarm (1NO **or** 1NC),
different types of spring cover sockets



Articles with different sockets:

NO

Alarm button with **NO:**

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
009094	051074	051075	051076	018351	without
078522	018034	018041	078246	018048	10m 1.0mm²
078524	018035	018042	078247	018049	20m 1.0mm²
078523	018036	018043	078248	018050	28m 1.0mm²
078525	018037	018044	078249	018051	37m 1.0mm²
078526	018038	018045	078250	018052	46m 1.5mm²
078527	018039	018046	078251	018053	55m 1.5mm²
078528	018040	018047	078252	018054	64m 1.5mm²

NC

Alarm button with **NC:**

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
018360	018361	018362	018363	018364	without
018107	018114	018121	018128	018135	10m 1.0mm²
018108	018115	018122	018129	018136	20m 1.0mm²
018109	018116	018123	018130	018137	28m 1.0mm²
018110	018117	018124	018131	018138	37m 1.0mm²
018111	018118	018125	018132	018139	46m 1.5mm²
018112	018119	018126	018133	018140	55m 1.5mm²
018113	018120	018127	018134	018141	64m 1.5mm²

Emergency braking switch (1NC),
twin button light (1NO) / alarm (1NO **and** 1NC),
socket DE



NO+NC

STOP switch with **NO *and* NC:**

DE Art.no.	Supply line
078890	without
078891	10m 1.0mm²
078892	20m 1.0mm²
078893	28m 1.0mm²
078894	37m 1.0mm²
078895	46m 1.5mm²
078896	55m 1.5mm²
078897	64m 1.5mm²

Further configurations and halogen-free wiring on request!

Pit control boxes

Pit control box IP54 with:
Emergency braking switch (1NC), double button light (1NO) / alarm (1NO **or** 1NC),
different types of spring cover sockets,
tension weight switch (1NC) with reset,
incl. 5m supply line



Articles with different sockets:

NO

Alarm button with **NO:**

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
078610	018200	018207	078230	018214	10m 1.0mm²
078611	018201	018208	078231	018215	20m 1.0mm²
078612	018202	018209	078232	018216	28m 1.0mm²
078613	018203	018210	078233	018217	37m 1.0mm²
078614	018204	018211	078234	018218	46m 1.5mm²
078615	018205	018212	078235	018219	55m 1.5mm²
078616	018206	018213	078236	018220	64m 1.5mm²

NC

Alarm button with **NC:**

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
018228	018242	018235	018249	018221	10m 1.0mm²
018229	018243	018236	018250	018222	20m 1.0mm²
018230	018244	018237	018251	018223	28m 1.0mm²
018231	018245	018238	018252	018224	37m 1.0mm²
018232	018246	018239	018253	018225	46m 1.5mm²
018233	018247	018240	018254	018226	55m 1.5mm²
018234	018248	018241	018255	018227	64m 1.5mm²

Emergency braking switch (1NC), double button light (1NO) / alarm (1NO **and** 1NC),
Socket DE
tension weight switch (1NC) with reset,
incl. 5m supply line



NO+NC

Alarm button with **NO *and* NC:**

DE Art.no.	Supply line
078931	10m 1.0mm²
078932	20m 1.0mm²
078933	28m 1.0mm²
078934	37m 1.0mm²
078935	46m 1.5mm²
078936	55m 1.5mm²
078937	64m 1.5mm²

Further configurations and halogen-free wiring on request!

© W+W Aufzugkomponenten 2022/23

Pit control boxes

Pit control box IP54 with:
Emergency braking switch (1NC), light button (1NO),
different types of spring cover sockets,
tension weight switch (1NC) with reset,
incl. 5m supply line



Articles with different sockets:

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
078617	018055	018064	078221	018073	10m 1.0mm²
078618	018056	018065	078222	018074	20m 1.0mm²
078619	018057	018066	078223	018075	28m 1.0mm²
078620	018058	018067	078224	018076	37m 1.0mm²
078621	018059	018068	078225	018077	46m 1.5mm²
078622	018060	018069	078226	018078	55m 1.5mm²
078623	018061	018070	078227	018079	64m 1.5mm²
078624	018062	018071	078228	018080	73m 2.5mm²
078625	018063	018072	078229	018081	82m 2.5mm²

Pit control box IP54 with:
Emergency braking switch (1NC),
different types of spring cover sockets,
tension weight switch (1NC) with reset,
incl. 5m supply line



Articles with different sockets:

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
078640	078649	078658	078667	078676	10m 1.0mm²
078641	078650	078659	078668	078677	20m 1.0mm²
078642	078651	078660	078669	078678	28m 1.0mm²
078643	078652	078661	078670	078679	37m 1.0mm²
078644	078653	078662	078671	078680	46m 1.5mm²
078645	078654	078663	078672	078681	55m 1.5mm²
078646	078655	078664	078673	078682	64m 1.5mm²
078647	078656	078665	078674	078683	73m 2.5mm²
078648	078657	078666	078675	078684	82m 2.5mm²

Further configurations and halogen-free wiring on request!

Pit control boxes SKK

Pit control box SKK IP20
Emergency braking switch (1NC), double button light (1NO) / alarm (1NO **or** 1NC), different types of spring cover sockets, two sockets for security circuit contacts

Pit control box SKK IP20

The pit control box SKK IP20 (safety circuit contacts) is optimally suitable for the retrofitting of old installations. The simple connector system facilitates the quick integration of switches and contacts in the safety circuit. Both plug connections are wired independently from each other which enables the utilisation of the active as well as of the passive circuit.



Further configurations and halogen-free wiring on request!

Articles with different sockets:

NO

Alarm button with **NO:**

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
018260	018261	018262	018263	018264	without
063777	018082	018089	018000	018100	10m 1.0mm²
063778	018083	018090	018001	018101	20m 1.0mm²
063779	018084	018091	018002	018102	28m 1.0mm²
063780	018085	018092	018003	018103	37m 1.5mm²
063781	018086	018093	018004	018104	46m 1.5mm²
063782	018087	018094	018005	018105	55m 1.5mm²
063857	018088	018095	018006	018106	64m 1.5mm²

NC

Alarm button with **NC:**

DE Art.no.	F+B Art.no.	CH Art.no.	UK Art.no.	AU Art.no.	Supply line
018265	018266	018267	018268	018269	without
018149	018163	018156	018170	018142	10m 1.0mm²
018150	018164	018157	018171	018143	20m 1.0mm²
018151	018165	018158	018172	018144	28m 1.0mm²
018152	018166	018159	018173	018145	37m 1.5mm²
018153	018167	018160	018174	018146	46m 1.5mm²
018154	018168	018161	018175	018147	55m 1.5mm²
018155	018169	018162	018176	018148	64m 1.5mm²

Pluggable cable please see page 139.



sockets safety circuit contacts, for example:
- conductor contact
- governor tension cable
- final limit switch

© W+W Aufzugkomponenten 2022/23

Pluggable cable for pit control box SKK

Pluggable safety circuit cable with plug on one side to connect one or two safety switches, (e.g. final limit switch, tension weight switches)

Art.no.	Description
051351	Pluggable cable SKK 1x10m
051352	Pluggable cable SKK 1x20m



Pluggable cable for pit control box SKK
with small distribution box to connect **two** safety contacts in series

Art.no.	Description
051353	Pluggable cable SKK 2x10m

Further configurations and halogen-free wiring on request!

Safety space signal light
acc. to EN 81-21





Safety space signal light acc. to EN 81-21
Fixation with magnet on the back of the housing or with mounting plate.
Voltage: 12V AC/DC, 24V AC/DC or 230V AC

Art.no.	Description
062161	Safety space signal light 12V, unwired with plate
062167	Safety space signal light 12V unwired with magnet
062162	Safety space signal light 12V with plate, 5m cable
062168	Safety space signal light 12V with magnet, 5m cable
062163	Safety space signal light 24V unwired with plate
062169	Safety space signal light 24V unwired with magnet
062146	Safety space signal light 24V with plate, 5m cable
062170	Safety space signal light 24V with magnet, 5m cable
062165	Safety space signal light 230V unwired with plate
062171	Safety space signal light 230V unwired with magnet
062166	Safety space signal light 230V with plate, 5m cable
062172	Safety space signal light 230V with magnet, 5m cable

Flush indicator
with LED

Art.no.	Description
052246	Flush indicator 24V LED, red, 10m
052247	Flush indicator 24V LED, red, 20m
052304	Flush indicator 230V LED, red, 10m
052305	Flush indicator 230V LED, red, 20m
052309	Flush indicator 24V LED, green, 10m

Standard inspection and emergency controls



Case made out of impact resistant and self-extinguishing plastic ABS-V0 (UL94), contact placement and wiring corresponding to your requirements. Other inspection and emergency boxes can be supplied with buttons according to your requirements.

Online configurator:

www.wwlift.de/en/assistant/steuerbirnen-v20.html

© W+W Aufzugkomponenten 2022/23